





Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

r technical bit.

Data & Equipment.

lbizo.

Safety

Side airbag in from

Driver and passer 3-point seat belt

Visual and acoust

ISOFIX + Top Tethe

Electronic Stabilit

with dynamic trac

Tyre pressure mor

Rear drum brakes Rear disc brakes²

Tool kit and tyre fi

Hill Hold Control

Cruise Control Sy

Tiredness Recogr

Driver Pack: Cruise Control S^r Tiredness Recog

Safe & Driving F

Tiredness Recog Windshield wiper Electronic Stabili Pedestrian & Cyc Lane Assist Visual and acous Front Assist incl. c Automatic headil Multifunctional c

Safe & Driving F Adaptive Cruise

Adaptive Cruise Front Assist for A High Beam Assist

Safe & Driving F Adaptive Cruise

Adaptive Cruise Front Assist for A High Beam Assist Traffic Sign Reco

Safe & Driving Pc Adaptive Cruise C Front Assist for Ada Travel Assist High Beam Assist

● Standard O Optional - Not available

¹ Disc brakes for engines with more than 100 HP.
 ² Only available for engines with more than 100 HP.
 ³ Available with Driver Pack.
 ⁴ Standard for Reference.
 ⁵ Not compatible with 1.0 MPI.
 Not compatible with 1.0 MPI.
 Not compatible with 1.0 MPI.

Not compatible with Safe & Driving Pack M.

⁷ Standard for Xcellence and FR.
 ⁸ Includes reading lights in ceiling.

Not compatible with TGI engines.

⁹ Not compatible with TGI engines.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

	Reference	Style	Xcellence	FR
ont with curtain airbag	•	•	•	٠
enger airbag with deactivation	•	•	•	٠
t for all seats	•	•	•	٠
stic seat belt reminder	•	•	•	٠
her Anchors in side rear seats	•	•	•	٠
lity Control (ESC)	•	•	•	•
ential lock (XDS) action support	-	-	-	•
onitoring system	•	•	•	•
es ¹	•	•	•	-
5 ²	_	-	-	•
fit	•	•	•	•
l	•	•	•	•
System (CCS)	O ³	•	•	٠
gnition System	•	٠	•	٠
System (CCS) gnition System ^₄ Pack S: gnition System er with light sensor	0	•	•	•
er winnight sensor lity Control (ESC) yclist Protection Jstic seat belt reminder (front and rear) . autonomus emergency braking system Jlights activation camera	•	•	•	•
Pack M for Media System 8.25"5: e Control (ACC) and speed limiter Adaptive Cruise Control (ACC) ist	-	0	0	0
Pack M for Navi System 9.2" ⁵ : e Control (ACC) and speed limiter Adaptive Cruise Control (ACC) ist cognition	_	0	0	0
Pack XL for Media System 8.25"6: e Control (ACC) and speed limiter Adaptive Cruise Control (ACC)	_	-	0	0
ist				

Safety	Reference	Style	Xcellence	FR
Safe & Driving Pack XL for Navi System 9.2"6:				
Adaptive Cruise Control (ACC) and speed limiter				
Front Assist for Adaptive Cruise Control (ACC) Travel Assist	-	-	0	0
High Beam Assist				
Traffic Sign Recognition				
Sentinel Pack:		~	-	~
Power-adjustable and heated exterior mirrors ⁷ Side Assist and Exit Assist	-	0	0	0
Exterior				
Bumpers with trim specific designs:				
Body-coloured for Reference,	•	•	•	•
Style and Xcellence; and sport for FR				
Exterior mirror cases painted:	•	•	•	
Body colour for Reference and Style, Atom Grey for Xcellence, and Glossy Black for FR	•	•	•	•
Black window frames	•	•		•
Chromed window frames	_	-	•	-
Panoramic sunroof ⁸	_	0	0	0
Dark-tinted windows	-	0	0	0
Trailer towing device preinstallation ⁹	0	0	0	0
Rear nameplate, trim, and logos removal	0	0	0	0
Red Pack^{2, 9}: 3-point seat belts in red (front and rear) Disc brakes in red (front and rear) SEAT Drive Profile	-	-	-	0
Steel wheel 15"	•	-	_	-
Enjoy 15" Brilliant Silver Alloy wheels	0	•	-	-
Design 16" Brilliant Silver Alloy wheels	-	-	•	-
Dynamic 17" Brilliant Silver Alloy wheels	-	-	-	•
Design 16" Nuclear Grey Machined Alloy wheels	-	0	_	-
Dynamic 17" Nuclear Grey Machined Alloy wheels	-	-	0	-
Dynamic 17" Black Machined Alloy wheels	-	0	0	-
Performance 18" Black R Machined Alloy wheels	-	-	_	0
Performance 18" Glossy Black Machined Alloy wheels	-	-	-	0
Performance 18" Black Machined Alloy wheels	-	0	0	-
Performance 18" Sport Black Alloy wheels	-	0	0	0
All season tyres + Enjoy 15" Brilliant Silver Alloy wheels	0	0	0	-

Exterior	Reference	Style	Xcellence	FR
Spare wheel 15"9	0	0	0	-
Reduced spare wheel 15" ⁹	-	0	0	0
Spare wheel 18"9	0	0	0	0
Wheel bolts with anti-theft protection	0	0	0	0

Interior

Interior				
Grey greenhouse	•	•	-	-
Black greenhouse	-	_	•	•
Reading lights for driver and passenger seats	•	•	٠	•
Sunvisors with mirrors and card-holder ¹⁰	•	•	٠	•
Coloured mouldings in air vents: Honey Mustard for Reference and Style, Burgundy for Xcellence, and Daring Red for FR	•	•	•	•
Ambient lighting in air vents with light in footwell in front and rear: White light for Xcellence, and red light and white light for FR	-	-	0	0
Interior lighting in footwell, central console and door pannel ¹¹	-	O ¹²	•	•
Net on central console	-	-	٠	-
Interior chromed moulding	-	•	•	•
Front power windows	•	•	-	-
Front and rear power windows	-	O ¹⁸	•	٠
Multifunctional steering wheel	•	-	-	-
Leather multifunctional steering wheel (with FR logo)	-	•	٠	٠
Basic gearshift knob	•	-	-	-
Leather gearshift knob	-	•	•	٠
Basic hand brake	•	-	-	-
Leather hand brake	-	•	٠	•
Front center armrest	-	O ¹³	•	O ¹³
Height-adjustable front seats ¹⁴	•	•	•	•
Split and foldable rear seats	O ¹⁵	•	•	•

Interior

Document holder and drawer unde

Luggage pockets Dimming interior

Autodimming inte

Cloth seats¹⁹

Dinamica® blac Luggage pockets Door and side tri Seat trim covers

Interior Pack²¹: Mounting fixture Front center arm

Double floor on I Document holde Drawer under po

Electronics

Analog cluster SEAT Digital Cocl

SEAT Media Sys

and Remote acc Some functional Remote lock & u

SEAT Navigation

Voice control Wired & Wireless Infotainment syst SEAT CONNECT services for Navi Remote lock & ut SEAT CONNECT for Navi²³. Some Radio Internet, of

Standard

O Optional

- Not available	
-----------------	--

- ¹⁰ Reference trim only has sunvisors on driver side.
- ¹¹ Style trim only has interior lighting in footwell and central console.
- ¹² Available with SEAT Full LED pack.
- ¹³ Available with Interior Pack.
- ¹⁴ For Reference and Style, the height-adjustable passenger seat requieres Winter Pack.
- ¹⁵ Splitable rear seats only available
- for Reference with optional Reference + Pack. ¹⁶ Xcellence only has document holder under driver seat as standard.
- ¹⁰ Xcellence only has document holder under driver se ¹⁷ Available with Dinamica[®] Seats.
- Available with Dinamica[®] Sea
 ¹⁸ Available with Comfort Pack.
- ¹⁹ Available with Comfort Pack.
 ¹⁹ Includes trim specific details.
- ²⁰ Includes trim specific del ²⁰ Standard in Xcellence.
- ²¹ Not compatible with TGI engines.
- ²² Private emergency call system included for 10 years.
 Remote access services included for 1 year.
 After this period renewals are needed. Data not included.
- ²³ Online infortainment services included for 1 year. After this period renewals are needed. Optional online radio functionalities.
 Data not included.
- ²⁴ Requires Navigation System 9.2". Update for 1 year.
- ²⁵ Not compatible with TGI engines.
- Requires Spare wheels 18" with tool kit. ²⁶ Not available with Navi System 9.2".
- Compatible with Android Auto™, CarPlay™ and MirrorLink™.
- ²⁷ Available with Winter Pack or Comfort Pack.
- ²⁸ Included in Comfort Pack.
- ²⁹ Available with Reference + Pack.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

	Reference	Style	Xcellence	FR
er under driver seat der passenger seat	-	O ¹³	● ¹⁶	O ¹³
ts on backrest of front seats	_	-	•	O ¹⁷
r mirror	•	•	_	-
terior mirror	-	O ¹⁸	•	•
	•	٠	•	•
ack sport seats¹⁹: ets on backrest front seats ²⁰ trim panel rs in fabric	-	-	0	0
t: re in luggage compartment mrest ²⁰ n boot der under driver's seat ²⁰ passenger seat	_	0	0	0
	•	•	•	
ckpit 10.25"21		0	0	0
ystem 8.25": T - Safety & Service ccess services for Media System ²² . alities are Car finder, unlock, or Private eCall	•	•	•	•
on System 9.2":				
ss Full Link /stem T - Safety & Service and Remote access vi ²² . Some functionalities are Car finder, unlock, or Private eCall T - Online infotainment services e functionalities are Media on demand or Petrol & parking station information	5 _	0	0	0

Electronics	Reference	Style	Xcellence	FR
Navigation Maps (with MapCare) ²⁴	-	0	0	0
Antenna for AM/FM reception	•	٠	•	٠
Digital Audio Broadcasting (DAB)	•	•	•	٠
Bluetooth® connection	•	•	•	٠
USB type-C socket	•	•	•	٠
4 speakers	•	-	-	-
6 speakers	-	•	•	۲
BeatsAudio™ ²⁵ : 7 premium speakers Subwoofer box 300W amplifier Surround technology	-	0	0	0
Wired & Wireless Full Link ²⁶	0	0	0	0
Connectivity Box	-	0	0	0
Manually controlled heating system	•	-	_	-
Air conditioning	0	•	-	-
Climatronic (2 zones)	-	O ¹⁸	•	٠
Power-folding, power-adjustable and heated exterior mirrors	O ²⁷	O ²⁷	•	•
Rain and light sensor	•	٠	•	٠
Windshield wiper with light sensor	•	•	•	۲
Automatic headlight activation	•	•	•	٠
Coming Home feature in headlight	-	O ²⁸	•	٠
Eco LED headlights	•	•	•	٠
LED rear lights	-	-	•	٠
Halogen rear lights	•	•	-	-
Front fog lights	O ²⁹	0	•	٠
Rear fog lights	•	•	•	٠

Electronics	Reference	Style	Xcellence	FR
SEAT Full LED Pack: Front fog lights ³⁰ Dynamic headlight range control (self-adjusting while driving) LED combination rear lights ³⁰ LED headlights with lens LED license plate lighting Interior lighting in footwell, central console and door pannel ³⁰	-	0	0	0
Power locking with remote control	•	•	● ³¹	۲
Anti-theft electronic vehicle immobilization	•	•	•	۲
Keyless Entry (without safelock)	-	0	•	0
Keyless Entry (with safelock) ³²	-	0	0	0
Alarm (with safelock)	0	0	O ³³	0
Rear park distance control	O ²⁹	0	•	0
Vision Pack ³⁴ : Front and Rear park distance control	-	0	0	0
Vision Pack +³5: Front and Rear park distance control Rear View Camera	-	0	0	0

Electronics

SEAT Drive Profile Driving profile mo Normal, Sport & I

Reference + Pack Rear park distance Front fog lights Split and foldable

Power windows **Comfort Pack:** Windshield wiper v with Rain and Ligh

Power windows Climatronic (2 zon Automatic headlig and Coming Home Auto-dimming inte Power-folding, pov and heated exterio

Winter Pack:

Power-folding, pov and heated exterio Seat heater for fro Height-adjustable _____

Standard

OOptional

- Not available

³⁰ Standard for Xcellence and FR.

³¹ Includes Keyless Entry (without safelock).

³² Requires Alarm (with safelock).

³³ Xcellence maintains the Keyless Entry without safelock (Standard).

³⁴ Not compatible with Vision Pack +.

³⁵ Not compatible with Vision Pack.
 ³⁶ Not compatible with 1.0 MPI or TGI engines.

³⁷ Standard for Reference and Style.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

	Reference	Style	Xcellence	FR
file³6: 1odes: ECO function, Individual	-	-	0	٠
ck: nce control le rear seats	0	-	-	-
er with intermittent control ght sensor ³⁷ bight activation me feature iterior rearview mirror power-adjustable erior mirrors	-	0	٠	•
power-adjustable prior mirrors ³¹ ront seats (separately controlled) le front seats ³¹	0	0	0	0

Accessories.

Customisation	
Rear spoiler in body colour	6F0071640 GRU
Rear spoiler in Black	6F0071640 9YT
Rear spoiler in Carbon fibre	6F0071641
Hatch door moulding in Black	6F0071360A
Hatch door moulding in Silver	6F0071360
Rear diffuser	6F0071611 9B9
Side door moulding in body colour	6F0071685 GRU
Side door moulding in Black	6F0071685 9YT
Exterior mirror in Black	6F0072530 041
Exterior mirror in Carbon fibre	6F4072530
Front bumper lip	6F0071606 GRU
Pedals (manual)	5FA064200 3Q7
Pedals (automatic)	5FA064205 3Q7
Footrest	5FA071750 3Q7
Interior	
Additional interior mirror	000084418A
Interior mirror in Black	6F0072540 041
Arm rest	6F0061123 LI8
Arm rest in leather	6F0061123 XU2
Net between seats in Black	6F0017221A
Chrome-plated hanger	000061127E
Multi-hanger	000061127D
Storage pocket	000061680B
Transport	
Roof bars	6F0071151
Load-stop rack	000071223
Roof box - 400l	000071200T
Roof box - 420l	000071200AB
Roof box - 450l	000071180A
Surfrack	000071120HA
Ski rack - 4 pairs	000071129S
Ski rack - 6 pairs	000071129T
Ski rack Xtender	000071129R
Bike rack	5F9071128
Tow bar	6F0803881
Electric kit with pre-installation	6F0055204
Electric kit without pre-installation	6F1055204A
Towing bracket bicycle carrier	000071128H

Transport

Towing bike rack

Protection

Floor mats Serie Floor mats Serie (Textile floor mats Textile floor mats Rubber floor mat Rubber floor mate Reversible boot t Semirigid boot tro Rear bumper pro Foldable trolley f Boot organizer Front mudflaps Rear mudflaps Tyre cover Car cover in Black Car cover in Whit Key cover - SEAT Key cover - FR

Infotainment

Universal magneti SEAT Full Link USB to type C add Charging cable 3 Pack Cable 3 in 1 Universal smartphone support

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

	000071128K	
		_
	6F1863011 LOE	—
(Right hand drive vehicles)	6F2863011 LOE	_
s Custom	6F1061675C 041	
s TPE Tufting	6F1061675D 041	_
ts	6F1061500A 041	
ts (Right hand drive vehicles)	6F2061500A 041	
tray	6F0061210	
ay	6F0061201A	
otective film	6F0071363	
for boot	000061109G	
	575061205A	
	6F0075111	
	6F0075101	
	000071770C	
:k	6F0061701A	
te	6F0061701	
Logo	000087013AF	
	000087013AE	
		_
tic mount	000051991K	
	5F0054830	_
apter	000051444AP	_
Bin 1	000051444AM	
	000051444AS	
hone support	000061129F	

Security	
ISOFIX Duo Plus	000019909G
ISOFIX Baby-safe Plus SHR II	000019907B
SEAT Peke GO I-Size Plus	000019907A
SEAT Peke G1 I-Size Trifix	000019909F
Kidfix² S safety seat	000019906S
Safety dog harness - Size XL	000084310B
Safety dog harness - Size L	000084310C
Safety dog harness - Size M	000084310D
Safety dog harness - Size S	000084310E
Separation grille for pets	6F0017221
Boot protector for dogs	000061609D
Protective seat cover for dogs	000061609C
Kaza live alert smartwatch	000054635E
Warning triangle	000093056A
2 Emergency triangle pack	000093600C
Fluorescent vest	000093056J
Safety Pack (triangles + vest)	000093990R
Triangle fastening suport	6K0860265
Help flash	000052122A
First-aid kit	6L0093000
Battery jump starter 15,000 mAh + charger	000051763H
lce scraper	000096010D
Snow chains:	
Autosock (185/70 R14)	000091375AE
Autosock (185/65 R15)	000091375AE
Autosock (195/55 R16)	000091375AE
Autosock (215/45 R17)	000091301B
Autosock (215/40 R18)	000091301B
Turisport (185/70 R14)	000091303C
Turisport (185/65 R15)	000091303D
Easygrip (185/70 R14)	000091375H
Easygrip (185/65 R15)	000091375G
Easygrip (195/55 R16)	000091375EM

Maintenance

Summer Maintenar Winter Maintenar Touch-up pencil (Interior cleaner Dashboard Clear 300ml concentra 300ml windscree Insect remover

Child car sea

SEAT Peke GO I-S ISOFIX Baby-safe SEAT Peke G1 I-Si ISOFIX Duo Plus Kidfix² S safety se

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

e	
nance Kit	000096354B
ance kit	000071980BPADA
Candy White	000098500L B9A
Desire Red	000098500LM0X1
Urban Silver	000098500LMZ7G
Magnetic Tech	000098500LMS7H
Midnight Black	000098500LMY9T
Nevada White	000098500LMS9R
	000096320FRABK
ner	000096320FRABM
ated shampoo	000096320GFAAB
en wash	000096320GFAAD
	000096320FRABH

ats	Age (approximate)
-Size Plus	Up to 15 months
fe Plus SHR II	Up to 15 months
Size Trifix	9 months to 4 years
5	9 months to 4 years
seat	3,5 to 12 years

Engine specs.

Engine	1.0 MPI 80 HP (59 kW) MQ Start/Stop1	1.0 EcoTSI 95 HP (70 kW) MQ Start/Stop	1.0 EcoTSI 110 HP (81 kW) MQ Start/Stop DQ Start/Stop
Cylinder/Valva (total)	3/12	3/12	3/12
Displacement (cc)	999	999	999
Cylinder bore and stroke (mm)	74.5×76.4	74.5×76.4	74.5×76.4
Compression ratio	12	10.5	10.5
Maximum power (KW (HP)/rpm)	59 (80)/6,300	70 (95)/5,000-5,500	81 (110)/5,500
Maximum torque (Nm/rpm)	93/3,750	175/2,000-3,500	200/2,000-3,500
Fuel supply system	Multipoint injection	TSI-Direct Injection	TSI-Direct Injection
Ignition	Positiv Ignition (Electronic map-controlled	ignition)	
Atmospheric/Supercharged	Natural aspirated	Turbo charged	Turbo charged
Fuel type	Petrol/ROZ 95	Petrol/ROZ 95	Petrol/ROZ 95
Oil capacity in initial fill [1]	4.3	4.3	4.3
Alternator (A)	110	110	110
Battery (Ah/A)	59	59	59
Performance Maximum speed (km/h)	170 (4°)	186 (5°)	105 (59) 1105 (69)
			195 (5°) 195 (6°)
Acceleration 0-80 km/h (s)	9.6	7.3	6.8 6.9
Acceleration 0-100 km/h (s)	15.3	10.9	10.2 10.0
Acceleration 80-120 km/h (s) at V	17.9	11.6	10.7 11.0
Acceleration 1000 m (s)	35.9	32.9	32.0 31.9
Fuel consumption			
Urban (l/100 km)	_	<u>-</u>	_
Extra urban (l/100 km)	-	-	
Combined NEDZ (I/100 km)	-	-	
Combined WLTP Range (1/100 km)	-	-	-
CO2 mass emission			
CO₂ Urban (g/km)	-	_	_
CO2 Extra Urban (g/km)	-	-	-
CO2 Combined NEDZ (g/km)	-	-	
Combined WLTP Range (I/100 km)	-	_	_

Transmission

Gearbox type MQ200-5F MQ200-5F MQ200-6F I DQ200-7F				
	Gearbox type	MQ200-5F	MQ200-5F	

Chassis

Front suspension
Rear suspension
Steering System
Turning diameter (m
Brake system
Front/Rear brake ty
Front brakes (mm)
Rear brakes (mm)

Wheels

Rims

Tyres

Dimensions

Body type Length/width/heigh Wheelbase (mm) Track front/rear (mm Boot capacity (l) Fuel tank capacity (

Weights

In running order wit Maximum weight w Maximum weight al Maximum weight w Maximum weight w Maximum weight w

	1.0 MPI 80 HP (59 kW) MQ Start/Stop¹	1.0 EcoTSI 95 HP (70 kW) MQ Start/Stop	1.0 EcoTSI 110 HP (81 kW) MQ Start/Stop DQ Start/Stop
	Independent type McPherson - coil springs - hydraulic	shock absorber [Variable shock absorber settings (switcha	ible shock absrober]]
	Semirigid axle, coil springs and hydraulic shock absorb	per [Variable shock absorber settings (switchable shock abs	srober]]
C-EPS (Column Electric Power System)			
(m)	10.6	10.6	10.6
	ESC Standard (including HHC, EBA, TCS, EDS, RKA, XD	S]	
type	Ventilated front brakes / Drum brakes in rear axle	Ventilated front brakes / Drum brakes in rear axle	Ventilated front brakes / Disc brakes in rear axle
]	Ø 256×22	Ø 256×22	Ø 276×24
]	TB 203×38	TB 228×42	Ø 230×9
	5J×14 ET38 - 5.5J×15 ET40 6.5J×16 ET47 - 7J×17 ET51 7J×18 ET51	5J×14 ET38 - 5.5J×15 ET40 6.5J×16 ET47 - 7J×17 ET51 7J×18 ET51	5.5J×15 ET40 - 6.5J×16 ET47 7J×17 ET51 - 7J×18 ET51
	185/70 R14 88H - 185/65 R15 88H 185/65 R15 88V - 195/55 R16 91V XL 215/45 R17 91W XL - 215/40 R18 91W XL	185/70 R14 88H - 185/65 R15 88H 185/65 R15 88V - 195/55 R16 91V XL 215/45 R17 91W XL - 215/40 R18 91W XL	185/65 R15 88H - 185/65 R15 88V 195/55 R16 91V XL - 215/45 R17 91W XL 215/40 R18 91W XL
	5D	5D	5D
ght (mm)	4,059/1,780/1,447	4,059/1,780/1,447	4,059/1,780/1,447
	2,564	2,564	2,564
nm)	1,525/1,505	1,525/1,505	1,525/1,505
	355 (TGI 262)	355 (TGI 262)	355 (TGI 262)
/ [L]	40 (TGI 9 - 13.8)	40 (TGI 9 - 13.8)	40 (TGI 9 - 13.8)
with driver (kg)	1,110	1,145	1,169 1,166
t with driver (kg) Front/Rear	663/447	690/455	721/448 722/444
t allowed (kg)	1,630	1,650	1,670 1,690
t without brake (kg)	540	560	570 580
t with brake 8% (kg)	1,000	1,100	1,200
t with brake 12% (kg)	800	1,000	1,100

Engine specs.

Engine	1.5 EcoTSI 150 HP (110 kW) DQ Start/Stop	1.0 TGI 90 HP (66 kW) MQ Start/Stop	
Cylinder/Valva (total)	4/16	3/12	
Displacement (cc)	1,498	999	
Cylinder bore and stroke (mm)	74.5×85.9	74.5×76.4	
Compression ratio	10.5	10.5	
Maximum power (KW (HP)/rpm)	110 (150)/5,000-6,000	66 (90)/4,000-5,500	
Maximum torque (Nm/rpm)	250/1,500-3,500	160/1,800-3,800	
Fuel supply system	TSI-Direct Injection	TSI-Direct Injection/TGI mode: Multipoint injection	
Ignition	Positiv Ignition (Electronic map-controlled ignition)		
Atmospheric/Supercharged	Turbo charged	Turbo charged	
Fuel type	Petrol/ROZ 95	ROZ 95/TGI	
Oil capacity in initial fill [1]	4.8	4.3	
Alternator (A)	110	110	
Battery (Ah/A)	59	59	
Performance	246 (62)	401 (5)	
Maximum speed (km/h)	216 (6°)	181 (5)	
Acceleration 0-80 km/h (s)	6.0	8.2	
Acceleration 0-100 km/h (s)	8.2	12.1	
Acceleration 80-120 km/h (s) at V	10.1	14.6	
Acceleration 1000 m (s)	29.0	34.3	
Fuel consumption			
Urban (l/100 km)			
Extra urban (l/100 km)	-	-	
Combined NEDZ (l/100 km)	_	-	
Combined WLTP Range (l/100 km)	-	-	
CO₂ mass emission			
CO2 Urban (g/km)	<u> </u>	-	
CO2 Extra Urban (g/km)	-	-	
CO2 Combined NEDZ (g/km)	-	<u> </u>	
Combined WLTP Range (I/100 km)	_	_	

Transmission

Gearbox type	DQ200-7F	MQ200-6F

Chassis Front suspension Rear suspension Steering System Turning diameter (r Brake system Front/Rear brake t Front brakes (mm) Rear brakes (mm)

Wheels

Rims

Tyres

Dimensions

Body type Length/width/heigh Wheelbase (mm) Track front/rear (mm Boot capacity (l) Fuel tank capacity (l)

Weights

In running order wi Maximum weight w Maximum weight a Maximum weight w Maximum weight w Maximum weight w

	1.5 EcoTSI 150 HP (110 kW) DQ Start/Stop	1.0 TGI 90 HP (66 kW) MQ Start/Stop	
Independent type McPherson - coil springs - hydraulic shock absorber [Variable shock absorber settings (switchable shock absrober)]			
	Semirigid axle, coil springs and hydraulic shock absorber [Variable shock absorber settings [switchable shock absrober]]		
	C-EPS [Column Electric Power System]		
r (m)	10.6	10.6	
	ESC Standard (including HHC, EBA, TCS, EDS, RKA, XDS)		
e type	Ventilated front brakes / Disc brakes in rear axle	Ventilated front brakes / Drum brakes in rear axle	
n)	Ø 276×24	Ø 256×22	
ı)	Ø 230×9	TB 228×42	
	5.5J×15 ET40 - 6.5J×16 ET47 7J×17 ET51 - 7J×18 ET51	5.5J×15 ET40 - 6.5J×16 ET47 7J×17 ET51 - 7J×18 ET51	
	185/65 R15 88H - 185/65 R15 88V 195/55 R16 91V XL - 215/45 R17 91W XL 215/40 R18 91W XL	185/65 R15 88H - 185/65 R15 88V 195/55 R16 91V XL - 215/45 R17 91W XL 215/40R18 91W XL	
	5D	5D	
ight (mm)	4,059/1,780/1,447	4,059/1,780/1,447	
)	2,564	2,564	
mm)	1,525/1,505	1,525/1,505	
	355 (TGI 262)	355 (TGI 262)	
ty [l]	40 (TGI 9 - 13.8)	40 (TGI 9 - 13.8)	
with driver (kg)	1,238	1,257	
nt with driver (kg) Front/Rear	771/451	689/568	
nt allowed (kg)	1,720	1,690	
nt without brake (kg)	590	-	
nt with brake 8% [kg]	1,200	-	
nt with brake 12% (kg)	1,200	-	


Engine specs.

\bigcirc	•	r	γ
	1	I	1

MPI	Reference	Style	Xcellence	FR
1.0 MPI 80 HP (59 kW) MQ Start/Stop1	0	0	0	0
EcoTSI				
1.0 EcoTSI 95 HP (70 kW) MQ Start/Stop	0	0	0	0
1.0 EcoTSI 110 HP (81 kW) MQ Start/Stop	-	0	0	0
1.0 EcoTSI 110 HP (81 kW) DQ Start/Stop	-	0	0	0
1.5 EcoTSI 150 HP (110 kW) DQ Start/Stop	-	-	-	0
TGI				
1.0 TGI 90 HP (66 kW) MQ Start/Stop	0	0	0	0

O Optional - Not available

For more information about official fuel consumption and CO2 emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you. mensions.







SEAT

SEAT is committed to a policy of continuous product development and reserves the right to make changes to specifications, colours and prices without notice. The information in this brochure can therefore be given as guidance only. While SEAT makes every effort to ensure that specifications are accurate at the time of publication, you should always check with your authorised SEAT Partner for the latest information. Due to limitations of the printing process the colours reproduced in this brochure may vary slightly from the actual paint colour and material. This vehicle and all its parts, as well as the original spares, were designed according to the Legal Regulations governing the prevention and minimisation of Environmental lmpact, through the use of recycled/recyclable materials, with measures taken to achieve suitable recycling for the conservation and improvement of environmental quality.

07/2021. Printed in Spain.

